CENTRA

Technical sheet



Centra enable power, USB charging, ethernet, USB data and AV to be accommodated into most surfaces. These include workstations, meeting tables, folding tables, collaborative and public spaces, In addition they are equally suited for use in vertical surfaces which include screens, partitions, soft furniture, etc.

Mounted from the front the integral clamping paddles enable an easy and rapid installation. Depths are also kept to a minimum



- 2 or 4 UK power. 30w A&C USB charging
 BS13A or GST connectivity
 Black, white or silver finish

- Data and AV cabling supplied pre-wired or can be simply retro fitted



CENTRA - Data sheet Sourcetec.global Sourcetec.global Sourcetec.global



TECHNICAL INFORMATION

Sourcetec is a registered trademark & is part of the Workstories group. Workstories Ltd Reg No: 08559545.

13 Northburgh Street, London, EC1V OJP

Product code SOU/P-ID-CR-2DFCAC-2-W

Input 100-240V AC; 50/60Hz, 1.3A

Maximum power 60W

USB outlets 1x type C 3.0 fast charge & 2x type A standard fast charge

Operating temperature range 0 - 40C

Safety standards AS/NZS 60950.1;

CISPR32:2015;

EN60950_1:2006 + A11:2009 + A1:2010 + A12:2011 + A2:2013;


EN55032: 2015; EN61000-3-2: 2013; EN61000-3-3: 2014; EN55024: 2010+A1: 2015


Cut outs required:


2 Power -

Dual charge USB A&C: 243.5 x 56mm Dual charge USB A&C & HDMI: 267.5 x 56mm Dual charge USB A&C & 2 Data CAT6: 293 x 56mm 4 Power -

Dual charge USB A&C: 352.5 x 56mm Dual charge USB A&C & HDMI: 377.5 x 56mm Dual charge USB A&C & 2 Data CAT6: 403.5 x 56mm







Warranty & General Care

Warranty

Workstories Ltd offers a 1-year warranty on our Sourcetec range.

This applies only if products have been used within and by standard office conditions. Wear and tear must be expected from normal use and are not covered by the warranty.

General Care

CARE & MAINTENANCE

Apart from replacing or resetting fuses, Sourcetec products are manufactured to be maintenance free. Periodically clean the units by first disconnecting the power and then clean using a soft damp cloth. Do not use harsh chemical solvents or detergents. Dry immediately with a soft dry cloth.

TESTING

_

All Sourcetec units are tested before they leave the factory, any suspected damage or manufacturing defects need to be raised with Sourcetec immediately for further investigation.

Environmental Practices

Workstories is dedicated to being environmentally conscious. We strive to ensure the continued availability of natural resources for current and future generations, and as part of our mission, we recognise the responsibility to protect human health, the environment, and natural resources, and to continually strive to improve the environmental quality of our operations.

To carry out this commitment, it is our policy to ensure all our factories:

Meet or exceed the requirements of all environmental laws and regulations applicable to our operations.

Limit our impact on the environment to the extent practicable and work to reduce recognised environmental risks to our employees and the communities in which we operate by employing safe technologies and operating procedures.

Continually assess our environmental programs and monitor our environmental performance.

Have operating policies and programs in place to implement our Environmental Quality Policy.

Workstories guarantees limited carbon footprint for our products. Workstories is a full member of FIRA and FISP. We hold FSC, ISO9001 and ISO14001 certifications.











sourcetec.global